


## EQUIPMENT PRODUCT INFORMATION

# 8600 SERIES ROTARY VACUUM CHAMBER MACHINES

PROVEN PERFORMANCE FOR HIGH-THROUGHPUT LINES



## DESCRIPTION

The CRYOVAC<sup>®</sup> 8600 Series rotary vacuum systems deliver high-speed, consistent performance for mid to large-scale packaging lines, minimizing downtime across multiple shifts. Designed to support a wide range of applications including fresh read meat, poultry, smoked and processed meats, and dairy, each model can be configured to match specific production needs such as speed, product size, and food type. When paired with CRYOVAC<sup>®</sup> Barrier Bags, the 8600 series helps ensure optimal packaging performance, product protection, and line compatibility. Backed by over 4,000 installations across North America, CRYOVAC<sup>®</sup> offers unmatched reliability, scale, and expertise in food packaging solutions.

## KEY BENEFITS

### OPERATIONAL EFFICIENCY

- Support a wide range of protein and dairy applications, with configurations designed for fresh red meat, poultry, smoked and processed meats, and dairy products
- Simplify daily operation and maintenance with intuitive controls and ergonomic layout that allows easy access to key components
- Reduce downtime during sanitation with a washdown-safe design built to withstand harsh cleaning procedures
- Keep operations connected and optimized with cloud-enabled monitoring, diagnostics, and remote expert support

### PRODUCT INTEGRITY

- Extend shelf life and preserve product quality, delivering a premium package that enhances product protection and appearance
- Support strict hygiene requirements with optional stainless steel components ideal for ready-to-eat packaging environments
- Help maintain food safety compliance, meeting or exceeding FDA and USDA sanitation standards
- Showcase product freshness, quality, and appearance when paired with CRYOVAC<sup>®</sup> shrink bags

### BRAND EXPERIENCE

- Deliver uniform, vacuum seals and quality shrink performance that creates consistent, high-quality shelf presentation

# TECHNICAL DATA

## 8600E-14E

Dimensions	112" x 197" (2845 mm x 5004 mm)
Weight	6,000 lbs
Product Size	5"H x 12.5"W x 23"L 8.5"H x 5"W x 19"L
Max Speed*	45 PPM
Utilities	460V, 60Hz, 3Ph, 30 AMP
Compressed Air	80 psig, 40 scfm, 1" line

## 8600E-14DS

Dimensions	109" x 188" (2769 mm x 4775 mm)
Weight	6,000 lbs
Product Size	3.75H x 10W x 17L 6H x 7W x 15L
Max Speed*	60 PPM
Utilities	460V, 60Hz, 3Ph, 30 AMP
Compressed Air	80 psig, 40 scfm, 1" line

## 8600R-14DS

Dimensions	112" x 197" (2845 mm x 5004 mm)
Weight	6,504 lbs
Product Size	3.75L x 10W x 17L 6L x 7W x 15L
Max Speed*	60 PPM
Utilities	460V, 60Hz, 3Ph, 30 AMP
Compressed Air	80 psig, 40 scfm, 1" line
Construction	Stainless Steel

## 8600R-14H

Dimensions	105" x 197" (2667 mm x 5004 mm)
Weight	6,470 lbs
Product Size	5.75H x 10W x 17L 8.5H x 7W x 15L
Max Speed*	50 PPM
Utilities	460V, 60Hz, 3Ph, 30 AMP
Compressed Air	80 psig, 40 scfm, 1" line
Construction	Stainless Steel

## 8600E-14EL

Dimensions	112" x 192" (2845 mm x 4877 mm)
Weight	6,000 lbs
Product Size	5"H x 12"W x 25"L 6"H x 5"W x 20"L
Max Speed*	39 PPM
Utilities	460V, 60Hz, 3Ph, 30 AMP
Compressed Air	80 psig, 40 scfm, 1" line

## 8600E-16EL

Dimensions	129" x 227" (3277 mm x 5766 mm)
Weight	8,500 lbs
Product Size	6H x 14W x 39L
Max Speed*	18 PPM
Utilities	460V, 60Hz, 3Ph, 50 AMP
Compressed Air	100 psig, 40 scfm, 1" line

## 8600R-14CS

Dimensions	109" x 188" (2769 mm x 4775 mm)
Weight	6,500 lbs
Product Size	3.75H x 10W x 16L 6H x 7W x 14L
Max Speed*	50 PPM
Utilities	460V, 60Hz, 3Ph, 50 AMP
Compressed Air	80 psig, 40 scfm, 1" line
Construction	Stainless Steel

## 8600R-16CS

Dimensions	128" x 250" (3251 mm x 6350 mm)
Weight	10,692 lbs
Product Size	10.5H x 12W x 20L
Max Speed*	35 PPM
Utilities	460V, 60Hz, 3Ph, 50 AMP
Compressed Air	100 psig, 40 scfm, 1" line
Construction	Stainless Steel